

# FORD RANGER







# BUILT TO TAKE ON YOUR WORLD

တောင့်တင်းသည့် Design ဖြင့်ထုတ်လုပ်ထားသည့် Suspension ပိုမိုမာကျောသော  
ultra-high-strength steel ကိုယ်ထည်တို့ဖြင့် ပေါင်းစပ်ထုတ်လုပ်ထားသော  
New Ford Ranger ကစီးနင်းမှုကို ပိုမိုငြိမ်ညောင်းစေမှာပါ။

# MAKE LIGHT WORK OF BIG CHALLENGES

New Ranger ၏ ပိုမိုတောင့်တင်းသော ကိုယ်ထည်၊ ဆွဲအားကောင်းသော အင်ဂျင်နှင့် ပိုမိုကောင်းမွန်  
သာလွန်သော Suspension တို့က သင့်ကို ပိုမိုလွယ်ကူချောမွေ့စွာ ခရီးနှင်စေနိုင်မှာပါ။

ပိုမိုဆွဲအားကောင်းခြင်း၊ အင်ဂျင်၏ စွမ်းအင်ကို အသုံးပြုမှုနည်းပါးခြင်းတို့အပြင် New Ranger ၏ သူမတူသော  
အလေးချိန် 3,500Kg အထိ ဝန်ဆွဲနိုင်သည့် စွမ်းအားကို Trailer Sway Control စနစ်ဖြင့် ထိန်းချုပ်ထား  
သောကြောင့်သင့်ကို ယုံကြည်မှုရှိရှိဖြင့် ပေါ့ပါးစွာ မောင်းနှင်စေနိုင်မှာဖြစ်ပါတယ်။





# COMFORT OUT OF YOUR COMFORT ZONE

မျိုးဆက်သစ် Ranger ၏အတွင်းခန်းဟာ ပိုမိုကျယ်ဝန်းလာပြီး တိတ်ဆိတ်ငြိမ်သက်စွာစီးနင်းနိုင်အောင် ပြောင်းလဲပြင်ဆင်ပေးထားပါတယ်။ ပိုမိုခန့်ညား လှပ၍နူးညံ့ပျော့ပျောင်းသော Leather ထိုင်ခုံ နှင့်အတူ အသက်ကယ်လေအိတ် (၆)လုံးပါဝင်ခြင်းအပြင် အကျယ်အဝန်းအပိုပါသော centre console တို့က သင့်ကိုသက်တောင့်သက်သာရှိသော အထိအတွေ့ကိုပေးစွမ်းပါတယ်။



Dual TFT Cluster တွင် မော်တော်ယာဉ်နှင့် သက်ဆိုင်သည့် သတင်းအချက်အလက် အားလုံးကို ဖော်ပြပေးကာ လမ်းညွှန်စနစ်မှစပြီး ဖျော်ဖြေရေး ကဏ္ဍအဆုံးစသည် တို့ကို အလင်းမပြန်သည့် အရည် အသွေးမြင့် မျက်နှာပြင် ပေါ်တွင် ဖော်ပြထားသည်။

အသန်မာဆုံးနှင့်အလုံခြုံဆုံးဖြစ် စေမည့်အသက်ကယ်လေအိတ် (၆)လုံးကိုဘေးတဘက်တချက်နှင့် ပြတင်းပေါက်ဘောင်များမှာပါ ထည့် သွင်းတပ်ဆင်ထားသောကြောင့် သင့်ခရီးစဉ်တိုင်းကို စိတ်ချလုံခြုံစေ မှာပါ။

ကားရပ်တန့်နေစဉ်မှာ ကား၏ လောင်စာကို မဖြုန်းတီးပါနှင့်။ ကားကိုလုံးဝရပ်တန့်လိုက်ချိန်မှာ Start-Stop button ကအင်ဂျင်ကို အလွယ်တကူ ရပ်တန့်စေနိုင်မှာပါ။

ယခု New Ranger တွင် 230V နှင့် 150W Power inverter တပ် ဆင်ထားသောကြောင့် electronic ချိတ်ဆက်ပစ္စည်းများအားလုံး အတွက်အဆင်ပြေစေပါတယ်။





# BEST IN CLASS WATER WADING

New Ranger တွင် ရေအနက် 800mm အထိ ကျော်ဖြတ်မောင်းနှင်နိုင်အောင်ထူးခြားစွာ ပြောင်းလဲထားပါတယ်။



e-locking Rear Differential locks သည် နောက်ဘီး(၂)ဘီးစလုံးတစ်ပြိုင်တည်း ယက်ဖို့ခက်ခဲသည့်မြေမျက်နှာပြင်မျိုးတွင် အမြင့်ဆုံးသောယက်အားကို ရရှိစေဖို့နောက်ဘီးများကို တစ်သားတည်းဖြစ်အောင် Lock ချပြီး စွမ်းဆောင်ပေးပါတယ်။

သင်ကိုယ်တိုင် 4WD စနစ်နှင့် 2WD စနစ်၊ အနိမ့် - အမြင့်တို့ကိုခလုတ်တချက်လှည့်ရုံဖြင့် စိတ်တိုင်းကျ ပြောင်းလဲအသုံးပြုနိုင်ပါတယ်။

237mm ground clearance ဆိုသည်မှာ ကားဝမ်းမိုက်မှ မြေပြင်အထိ လုံလောက်သော အမြင့်ရှိခြင်းကြောင့် မြေပြင်နှင့် သင့်အကြား မည်သည့်အရာကမှ အနောက်အယုတ် အတားအဆီး မဖြစ်စေနိုင်ဟု ဆိုလိုပါသည်။



# TOUGH DONE SMARTER

အနေအထားကျကျတပ်ဆင်ထားသော camera များ၊ အသံလှိုင်းအာရုံခံ ကိရိယာ၊  
ခေတ်မီဆန်းပြားသော radar, New Ranger ၏ အသုံးဝင်သော state-of-the-  
-art နည်းပညာက သင့်ကို ပိုမိုလုံခြုံစိတ်ချစွာ ထိန်းချုပ်နိုင်စေမှာပါ။





# Colour Range



Arctic White

\*Available on Wildtrak



Diffused Silver



Aluminum Metallic

\*Available on Wildtrak



Meteor Grey

\*Available on Wildtrak



Absolute Black

\*Available on Wildtrak



Deep Crystal Blue



Blue Lightning



AAT Sunset



Saber

\*only for Wildtrak

New Ranger မှာအနှစ်အရသာဖြစ်သော ပိုမိုကောင်းမွန်သည့်စွမ်းရည်များ၊ သန်မာမှုများကိုအဆင့်မြှင့်တင်ခဲ့ပါပြီ။ Ranger၏ဒီဇယ်အင်ဂျင်က power numbers ထက်ကိုပိုမိုထုတ်လုပ်ပေးနိုင်ပါတယ်။ လောင်စာဆီသုံးဆွဲမှုကိုလည်း အရင်ကထက်ပိုမို သက်သာစေပါတယ်။ ဒါကြောင့် သင်၏အချိန်တွေကို ဆီဆိုင်မှာကုန်ဆုံးမှုနည်းပါးစေပြီး ခရီးပိုမိုရောက်ရှိစေမှာဖြစ်ပါတယ်။



## 3.2L TDCi

Ranger ရဲ့ 5-cylinder 3.2L TDCi diesel အင်ဂျင်သည် ယခင် Model အဟောင်းများထက် လောင်စာဆီ စားသုံးမှုကို သက်သာကာစွမ်းအားနှင့်လည်ပတ်အားကို (၂)ဆ ပိုမိုပေးစွမ်းပါတယ်။

Power

**147kW**

Torque

**470Nm**



## 2.2L TDCi

ပိုမိုသောစွမ်းအားနှင့်လည်ပတ်အား - လောင်စာဆီစားသုံးမှုသက်သာစေပြီး Ranger ၏အဆင့်မြှင့်တင်ထားသည့် 4-cylinder 2.2L TDCi diesel အင်ဂျင်သည် သင်ပြီးမြောက်ရမည့် မည်သည့် ခရီးစဉ်မျိုးမဆိုပြီးမြောက်စေအောင် ဆောင်ရွက်ပေးပါတယ်။

Power

**118kW**

Torque

**385Nm**



# Ranger Specifications

	Ranger XL Single Cab 2.2L	Ranger XL Double Cab 2.2L	Ranger XLT RAP Cab 2.2L	Ranger XLT Double Cab 2.2L	Ranger XLT Double Cab 3.2L	Ranger Wildtrak Double Cab 3.2L
Engine	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 4 Cylinder	Inline 5 Cylinder	Inline 5 Cylinder
Displacement (cc)	2198	2198	2198	2198	3198	3198
Power (kW@rpm)	118@3200	118@3200	118@3200	118@3200	147@3200	147@3200
Torque (Nm@rpm)	385@1600-2600	385@1600-2500	385@1600-2500	385@1600-2500	470@1750-2500	470@1750-2500
Fuel Tank Capacity (Litres)	80	80	80	80	80	80
Fuel Supply Management	Turbocharged Common Rail Direct Injection					
Transmission & Chassis						
6-speed Manual Transmission	S	S	S	-	-	-
6-speed Automatic Transmission	-	-	-	S	S	S
Electronic Shift on the Fly (ESOF)	Standard					
Front Suspension Type	Double Wishbone with Coil Spring					
Rear Suspension Type	Leaf Spring					
Front Brake	Ventilated Discs					
Rear Brake	Drum					
Differential Type	Limited Slip Differential				Locking Rear Differential	
Tyres and Wheels	16" Alloy	16" Alloy	17" Alloy	17" Alloy	17" Alloy	18" Alloy
Dimensions						
Overall Length (mm)	5376	5376	5376	5376	5376	5376
Overall Width (mm)	1863	1867	1867	1867	1867	1867
Overall Height (mm)	1806	1848	1843	1848	1848	1848
Wheelbase (mm)	3220	3220	3220	3220	3220	3220
Ground Clearance (mm)	232	232	232	237	237	237
Front Track (mm)	1590	1590	1590	1590	1590	1590
Rear Track (mm)	1560	1560	1560	1560	1560	1560
Load Area Length (mm)	2317	1549	1847	1549	1549	1549
Load Area Width (mm)	1560	1560	1560	1560	1560	1560
Load Area Width (between arches) (mm)	1139	1139	1139	1139	1139	1139
Exterior Features						
Front Grille	Black	Black	Chrome	Chrome	Chrome	Black
Bumpers	Body Coloured	Body Coloured	Body Coloured	Body Coloured	Body Coloured	Body Coloured
Head Lamps	Halogen	Halogen	Projector	Projector	Projector	HID
Daytime Running Light (DRL)	-	-	-	-	-	S
Fog Lamps	-	-	S	S	S	LED
Wiper System	Manual	Manual	Auto	Auto	Auto	Auto
Side Steps	-	-	-	S	S	S
Bedliner	-	-	-	S	S	S
Sport Bar	-	-	-	S	S	S
Front Parking Sensor	-	-	-	-	-	S
Rear Parking Sensor	-	-	S	S	S	S
Easy Lift Tailgate	-	-	-	-	-	S
Mud Flaps	-	-	S	S	S	S
Interior Features						
Cruise Control	-	-	S	S	S	S
Steering Wheel	Urethane	Urethane	Leather Wrapped	Leather Wrapped	Leather Wrapped	Leather Wrapped
Power Assisted Steering	EPAS	EPAS	EPAS	EPAS	EPAS	EPAS
SYNC™	-	SYNC™ with Voice-Activated Controls.				
Apple CarPlay, Android Auto & AppLink™	-	-	S	S	S	S
Rear View Mirror - Auto-dimming	-	-	S	S	S	S
Sunvisor - Illuminated Mirror & Slider Rod	-	-	S	S	S	S
Climate Control	Manual	Manual	Auto	Auto	Auto	Auto
Overhead Console with Dome Lamps	-	-	S	S	S	S
Ambient Lighting	-	-	-	-	-	S
12V Socket (Front)	S	S	S	S	S	S
Power Windows	Standard with Driver 1-Touch Down	S	S	S	S	S
Driver Seat and Passenger Seat	2-Way Manual Adjustable Seat		6-way Manual Driver Seat Adjustment, (plus Lumbar Support)			8-way Power, Driver Seat Adjustment, (plus Lumbar Support)
Seat Material	Fabric				Leather Accented Seats	
Remote Central Locking	S	S	S	S	S	S
Keyless Entry with Push-Start Button (PEPS)	-	-	S	S	S	S
Active Noise Cancellation	S	S	S	S	S	-
TFT Cluster Display	-	-	S	S	S	S
Cooled Console	-	-	S	S	S	S
230V AC Outlet (150W)	-	-	-	-	-	S
Additional 3rd Powerpoint (Rear Seat)	-	-	-	-	-	S
Safety						
ESC with Roll Stability Control	S	S	S	S	S	S
Anti-lock Braking System (ABS)	S	S	S	S	S	S
Remote Keyless Entry	S	S	S	S	S	S
Hill Start Assist	S	S	S	S	S	S
Hill Descent Control	S	S	S	S	S	S
Pre-collision System with Collision Warning	-	-	-	-	-	S
Terrain Management System	-	-	-	-	-	S
Airbag	2 airbags	2 airbags	6 airbags	6 airbags	6 airbags	6 airbags

S = Standard





## QUALITY, GREEN, SAFE AND SMART

**Business and Commercial Fleet Customers?**  
Please contact us for more information  
at [ford-myanmar.com](http://ford-myanmar.com) | [sales@ford-myanmar.com](mailto:sales@ford-myanmar.com)



### YANGON SHOWROOM:

No. (3), Ward (12), Insein Main Road,  
Hlaing Township, Yangon, Myanmar.  
Ph : +95(1) 7521-959

### MANDALAY SHOWROOM:

No. (516/Ka), Corner of Kywe Sel Kan 78<sup>th</sup> St  
and 12<sup>th</sup> St, Pyi Gyi Tagon Township, Mandalay.  
Ph : +95(2) 40 56014-18

Illustrations, descriptions and specifications. This catalogue was correct at the time of going to print. However, Ford policy is one of continuous product development. The right is reserved to change specifications, colours and prices of the models and items illustrated and described in this publication at any time. For the latest details always consult your Ford Dealer. Optional equipment. Throughout this publication, wherever a feature is described as being an 'Option' or 'Optional Fitment/Pack', etc., you should assume that it will be at extra cost to the base vehicle, unless specifically stated to the contrary. All models and colour combinations are subject to availability. Note. Some images portrayed are of a pre-production model features shown on the vehicles may be optional. Note. This brochure contains both original Ford accessories as well as a range of carefully selected products from our suppliers, which are featured under their own brands. All supplier branded products are subject to warranty terms defined by the relevant suppliers and do not lie within the responsibility of Ford. Note. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Ford Motor Company is under licence. Other trademarks and trade names are those of their respective owners.

Printed June 2020